Scott. 11-27—3

Law

(1932) Departm

General

NCS SERIES. C

G.O. No. 152

DATED 17-1-33

[Despatch Abstract.]

LAW (GENERAL) **DEPARTMENT.**

GOVT. BRANCH PRESS MADRAS
9- JAN 1933
LAW DEPARTMENT

Received ..... 19 *Registered* 19

Subject.

Petroleum--dangerous--Storeage of 15,000 gallons--License in form B--grant recommended.

ENCLOSURES.
No. .....
.....
Sheets or file ...

Rel. Ct No. 11047/32.

Station Mangalore, *Dated the* 5th January 1933. 19

From (Name) E. M. Gumbe, Esq, I.C.S.,
(Designation) District Magistrate,
SOUTH KANARA.

To The Secretary to the Government of Madras,
LAW (GENERAL) Department
Madras.

Sir,

I enclose herewith the application of Messrs. Burman-Shell Oil Storeage and Distributing Co. of India Ltd. for a license in form B for the storeage of 15,000/- gallons of dangerous petroleum otherwise than in bulk in the godown in the private land S. F. No. 100/3 of Coondapur village, Coondapur Taluk of this district. The Coondapur Tahsildar's report dated 29th December 1932 will show that the storage building satisfies all the conditions of the license. There is therefore no objection to the grant of the license for the storeage of 15,000/- gallons, the fee for which viz. Rs.60/-

p.8 inf

has been paid as per challan No. 65, dated 30th November 1962 of the Chandigarh Sub Treasury. I return herewith the original of the license.

Your obedient servant,

Dt. Magistrate.

2630 3

ALL COMMUNICATIONS TO BE ADDRESSED TO THE COMPANY.

TELEGRAPHIC ADDRESS:
"KEROPETUM"
U [illegible]

BURMAH-SHELL

OIL STORAGE & DISTRIBUTING CO. OF INDIA LTD.

(INCORPORATED IN ENGLAND)

COLLECTOR'S OFFICE SOUTH CANARA
No. 2 JAN 1933

BUNGALOW No. 51,
BELGAUM.

Ref. F.13.

7th December, 1932.

9x6x3 x1600
HH H8

The District Magistrate,
South Canara,
Mangalore.

3'6" W
40 x 15 Maida
2 windows at a height of 7'-

Sir,

Petrol Godown - Coondapur.

With reference to your endorsement on the back of our letter to you of 25th November which we return herewith for your record, our Coondapur Storekeeper informs us that on 30th November he sent you one four-anna Court Fee stamp and also the Treasury Receipt for Rs.60/-. We shall be obliged if you will therefore now issue the necessary instructions for the inspection of the godown in question and forward us the license at your early convenience.

a/n
for L.S.
M 10/12/32

We have the honour to be,
Sir,
Your most obedient servants,
FOR BURMAH-SHELL
OIL STORAGE & DISTRIBUTING CO. OF INDIA LTD.

Encl.1
ARM.

8085-32
N Ref C-11347/32 L. A. Wood
forwarded to the Taluk dar of Coondapur for immediate report whether the building in question satisfies the conditions of the license for the storage of 15000 Gallons of Petrol. [illegible] for immediate

V

Nos

4

Re submitted to the D. Magistrate Santa Kanara

2 I have inspected the building in question. It is 40 x 15'. It has one door and four windows. The door shutter is made up ~~up~~ of zinc sheet and the door-way is protected by a wall - three and half feet high. The windows are at a height of seven feet from the ground and are protected by wire gauze. The roof of the building is covered with corrugated zinc sheets. The surrounding buildings are at a distance of 40 ft from the storage shed. 4000 tins of petrol - containing 2 gallons each ___ can be conveniently stored in the shed. Hence a licence for 8000 gallons may be issued

3 The storage shed is in no way connected with kundapur

Thahasildar)

29/12/: raise

The case can be considered



ONS TO BE ADDRESSED TO THE COMPANY.

TELEGRAPHIC ADDRESS:
"KEROSET"
[redacted]

BURMAH-SHELL

OIL STORAGE & DISTRIBUTING CO. OF INDIA LTD.

(INCORPORATED IN ENGLAND)

Ref. P.13.

29 NOV 1932

BUNGALOW No. 51,
BELGAUM.

25th November, 1932.

C/1086/32

The District Magistrate,
South Kanara,
Mangalore.

Sir,

Petrol - Coondapur.

We have the honour to inform you that we intend storing our petrol in a new godown belonging to Mr. K. Venkatapathy Shenoi, situated in Survey Field No.100/3 in Coondapur Village and bounded on all sides by vacant space. We shall be very grateful if you will issue us at your early convenience a storage license for 15,000 gallons, the fee for which, namely Rs.40/-, we are arranging through our Storekeeper at Coondapur to remit to the Treasury at Coondapur, and the receipt for this amount will be forwarded to you by our Storekeeper.

We attach to this application an eight anna Court Fee Stamp.

We have the honour to be,
Sir,
Your most obedient servants,
FOR BURMAH-SHELL
OIL STORAGE & DISTRIBUTING CO. OF INDIA LTD.

L. R. Wood

ARM.
Encl.1

U Non C- Cost

Returned as the application requires a further count of the stamps of 4 annas

In Dl Registrar

Wrd -
30/11/22

U. C. D. 49, 400 Pads, 100 lvs., 3-32

25/5 7 5 Registered

BURMAH-SHELL

OIL STORAGE & DISTRIBUTING CO OF INDIA, LTD.

(INCORPORATED IN ENGLAND)



U.D./

COLLR'S OFFICE

POT

Coondapoor

Date 30th November 1932

istrate

South Canara

Mangalore

Sir,

Petrol - Coondapoor

With reference to our Belgaum office letter Ref: P.13. of the 25th November 1932 copy sent to me I have the honour to forward herewith the Treasury Receipt for ~~Rs~~. 60/-(Sixty) to issue us a storage license for 15000 gallons Petrol at Coondapoor for the year 1933.

I have the honour to enclose herewith one Courtfee Stamp of 0-4-(four annas) to affix our application in addition to eight annas stamp attached by our Belgaum office.

I have the honour to be

Sir

Your most obedient Servant

N. Sanjeeva Rao

Storekeeper.

(Encls: 2)

To avoid receipt back after copies which was returned for insufficient Stamp.

T. Indra

DEPOT

R. F. XXXIII-A.—66,564--20-3-30

R.F. XXXII-1.

"The receipt is not binding or valid on Government unless it is signed (1) by the shroff and (2) by the Taluk Hd. Acctt. or Taluk Sarishtadar."

"(1) ಸರಾಫನಿಂದ - ವ - (2) ತಾಲೂಕು ಹೆಡ್ ಎಕ್‌ೌಂಟಾಂಟ - ಯಾ - ತಾಲೂಕು ಶಿರಸ್ತೆದಾರರಿಂದಾ ದಸ್ಕತು ಆದ ವಿನಾ ಈ ರಶೀದಿಯು ಗವರ್ನಮೆಂಟಿನವರಮೇಲೆ ಬಜ್ಜಾಕರಿನತಕ್ಕದ್ದಲ್ಲಾ - ವ - ಶಿಂದುವಲ್ಲಾ."

Chalan for payment of money into the Sub-Treasury at
ಸಬ್ ಟ್ರೆಜರಿಯಲ್ಲಿ ಹಣ ಪಾವತಿಮಾಡಿದಬಗ್ಗೆ ಜಲನ್ ಯಾಸೆ ಜಮೇ ಚೀಟು.

No. 35
ನಂಬರ

30 NOV 1932

COONDAPOOR

By whom paid. ಯಾರಿಂದಾ ಪಾವತಿನಾಡೋ ಹಾಗಿದ್ದ.	On what account. ಯಾವ ಬಗ್ಗೆ.	Amount. ಮೊಬಲಗು.			Monthly consecutive No. assigned to the credit in the day-book. ಜೆ ಬಾಕಿನಲ್ಲಿ ಜಮೆ ಮತ್ಯಾತಿಗೆ ಕೊಟ್ಟೋಹಾದ ತಿಂಗಳ ಟ್ಟಿ ಹಂಜರಾ ನಂಬ.	
		RS. ರೂ.	A. ಆ.	P. ಪೈ	No. ನಂಬ.	Month. ತಿಂಗಳು.
Messrs Burmah Shell Oil Storage & Distributing Co: of India Limited	15000 gls. Storage License for Condapor Petrol Godown situated in Survey field No 100 3 in Condapoor village for the period of 1933.	60	-	-		
Date 19 . ತಾ. 19 .	TOTAL (in words and figures). ಜುಮಲಾ (ಅಕ್ಷರಗಳಲ್ಲಿ - ವ - ಅಂಕೆ ಗಳಲ್ಲಿ).	60	-			
	Sixty					

Signature of Remitter. Manager, for Storekeeper Burmah Shell Oil Storage & Distributing Co. of India Ltd.
ಹಣ ಕಳುಹಿಸಿದವನ ದಸ್ಕತು.

Received Rupees (60-0-0) Sixty only
ಜುಮಾ ರೂಪಾಯಿ

Coondapoor SUB-TREASURY,
ಸಬ್ ಟ್ರೆಜರಿ,
The 30 . 11 1932.
ತಾ. 19 .

K. Narasimha
Shroff.
ಷರಾಫ್.

Entered.
ಲಿಖ್ಖೆಕ್ಕೆ ತಾನುಲುಮಾಡಲಾಯಿತು.

Taluk Hd. Acctt. or Taluk Sarishtadar.
ತಾಲೂಕು ಹೆಡ್ ಎಕ್‌ೌಂಟಾಂಟ ಅಥವಾ ತಾಲೂಕು ಶಿರಸ್ತೆದಾರ

Particulars of money paid.

ಪಾವತಿಮಾಡಿರುವ ಹಣದ ವಿವರ

	Number ಸಂಖ್ಯೆ	Amount ಮೊತ್ತಗಳು
Currency Notes ಕರೆನ್ಸಿ ನೋಟುಗಳು		
Rs. 1,000 ರೂ.		
,, 500		
,, 100 .. .		
,, 50		
,, 20		
,, 10		
,, 5		
,, 2½		
,, 1		
Total Notes ಜುಮಲಾ ನೋಟುಗಳು		
Cash. ನಗದು		
Sovereigns, Full. ಇಡೀ ಸೊವರೆನ್ಸ್		
,, Half. ಅರ್ಧಾ ಸೊವರೆನ್ಸ್		
Whole Rupees. ಇಡೀ ರೂಪಾಯಿಗಳು		
½ Rupees. ರೂಪಾಯಿಗಳು .. .		
¼ ,, ,, . .		
⅛ ,, ,, . ..		
Eight anna nickel. ಎಂಟು ಆಣೆ ನಿಕ್ಕಲ್ ..		
Four ,, ,, ನಾಲ್ಕಾಣೆ ..		
Two ,, ,, ಎರಡು ಆಣೆ .		
One ,, ,, ಒಂದು ಆಣೆ		
Double pice. ವಿಮಾಣಿಗಳು		
Single pice. ಪಾವಾಣಿಗಳು ..		
Pies. ಪೈಗಳು		
Grand Total ಒಟ್ಟು ಜುಮಲಾ		

Sectt. Form 5 (a

43/1711 Law (Genl) DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied		
When examined		
When signed		
When despatched		

Petroleum B. form licence 15.000 gallons. ~~The~~ Burmah Shell Oil Storage & Distributing Company of India. Ltd, Coondapoor. ~~granted~~ South Kanara Dt. Granted

READ AGAIN G.O. No. ....., dated 19

" " " " " " 19

READ ALSO :—

C. No. 163 C From the D. M. South Kanara, No. 11347/32 dated 5-1- 1933.

" " " " " " 19

" " " " " " 19

ORDER.

No. 152, dated 17-1-1933.

R5.

(R)

A licence in form B. of the Petroleum Rules will be issued to ~~the~~ Burmah Shell Oil Storage and Distributing Company of India. Ltd, ~~Mangalore~~ for the storage of 15.000/[fifteen Thousand] gallons of dangerous petroleum otherwise than in bulk in ~~their~~ storage shed in ~~the private land of~~ Coondapoor village Coondapoor Taluk, South Kanara District

2. The licence will be forwarded to the District Magistrate

of South Kanara for delivery by the firm.

SMC
10-1-33.

11/1

16/1

16/1/33

To Mr D. N. South Kanara
(with licence)
The Inspr of Explosives in India (with copy of licence)
The Burmah-Shell Co.

1 cutting abstract
2 cutting

[H.E. Rule I. chapter IV. Part-II]

Form B.

(Rule 3 of Chapter IV of Part II.)

License to possess dangerous petroleum, otherwise than in bulk, in quantity exceeding forty gallons.

No. Fee, Rs. 60/- [sixty only]

License is hereby granted to ~~Messrs.~~ The Burmah-Shell oil Storage and ~~by limiting Company of India, Limited~~ for the storage, in the storage shed described below, of 15,000/- [fifteen thousand] gallons of dangerous petroleum, subject to the rules for the storage of petroleum published in Notification No. 441, dated 24th July 1909 and to the further conditions on the back of this license.

C/E

Chinnaswamy Rao
Secretary to the Government of Madras.

Fort St George

The January 1933.

(Description of the storage shed above referred to.)

The Storage shed is situated in S.F. No 100/3 ~~Unspecified~~ of Coondapoor village, Coondapoor Taluk in the district of South Kanara.

8m 10.1.33

RR 11/1

Endorsement on Form E.

CONDITIONS OF LICENSE.

1. If the licensing officer call upon the holder of a license, by notice in writing, to execute any repairs of the storage shed, which may, in the opinion of such officer, be necessary for the safety of the shed, the holder of the license shall execute the repairs within such period, not being less than one month from the date of receipt of the notice, as may be fixed by the notice.

2. The license-holder is prohibited from delivering any quantity of dangerous petroleum exceeding three gallons to any one who has not a license under section 5 or section 6 of the Act, or any less quantity of such petroleum, except in accordance with the conditions of the proviso to section 6 of the Act, as to the vessels in which the petroleum must be contained.

3. The petroleum shall be stored in gas-tight tinned or galvanized sheet iron, steel, or lead plate receptacles containing each not more than forty gallons and fitted with well-made filling holes and well-fitting screw plugs, or fitted with screw cap or other cap with metal air-tight undercap. Such receptacles shall be packed in strong wooden cases, the thickness of the wood to be not less than three-eighths of an inch; provided that wood cases shall not be necessary when the receptacles are made of tinned or galvanized sheet iron or steel, and have the following thickness of metal:—

	Not less than
(1) When the capacity does not exceed two gallons.	27 B.W.G.
(2) When the capacity exceeds two, but does not exceed four gallons.	22 "
(3) When the capacity exceeds four, but does not exceed thirty gallons.	18 "
(4) When the capacity exceeds thirty, but does not exceed forty-five gallons.	17 "
(5) When the capacity exceeds forty-five, but does not exceed sixty-five gallons.	16 "

4. An air-space of at least one-~~fourth~~ of its capacity shall be left in each receptacle at the time of filling.

5. The receptacle shall be so substantially constructed and secured as not to be liable except, under circumstances of grave negligence or extraordinary accident, to be broken or become defective, leaky or insecure.

6. The receptacles shall be labelled in accordance with the provisions of section 7 of the Act.

7. Any receptacle, before being repaired, shall be cleared of all dangerous petroleum and of all dangerous vapours arising from the same.

8. The storage shed shall be constructed of masonry or other uninflammable material, with terraced, tiled or iron roofs and with tiled or paved or earthen floors.

9. Either the doorways and other openings of the storage shed shall be built up to a height of two feet above the level of the road or street, or the floor sunk to a depth of two feet below the level of the road or street, so that the petroleum cannot flow out from the building in case of its escape from the receptacle in which it is contained, or the building itself shall be surrounded with a masonry wall or embankment or both not less than two feet high. When the quantity of petroleum stored exceeds 16,000 gallons the height or depth shall be three feet.

A combination of these methods is permissible.

10. All ventilating openings in the storage shed shall be protected by strong wire gauze.

11. No light, except a light of such strength, position and character as is not liable to ignite any inflammable vapour, nor fire of any description, shall be permitted at any time within the storage shed.

12. All due precautions shall be taken for the prevention of unauthorised persons having access to any dangerous petroleum kept and to the vessels containing or having actually contained the same.

13. Every person managing or employed on or in connection with the storage shed shall abstain from any act whatever which tends to cause fire or explosion and which is not reasonably necessary, and shall prevent any other person from doing such act.

14. The drum or other receptacle containing dangerous petroleum shall only be opened on the licensed premises at or immediately adjoining the storage shed and for the time necessary for drawing off the petroleum, and during such drawing off every reasonable precaution shall be adopted for preventing the escape of dangerous petroleum or the vapour therefrom.

15. The following distances shall be kept clear from protected works round the storage shed :—

Quantity to be stored	Distances to be kept clear
Not exceeding 500 gallons	20 feet.
From 500 to 1,000 „	25 „
„ 1,000 to 5,000 „	30 „
„ 5,000 to 15,000 „	40 „
„ 15,000 to 25,000 „	50 „
„ 25,000 to 35,000 „	60 „
„ 35,000 to 50,000 „	70 „
„ 50,000 and over „	100 „

Provided that these distances may be reduced by the Local Government on the recommendation of the Chief Inspector of Explosives in cases where screen walls are provided or other special precautions taken, or where there are special circumstances that in the opinion of the Chief Inspector of Explosives warrant the reduction.

16. Provided that when the quantity to be possessed does not exceed 60 gallons the provisions of conditions 8, 9 and 15 shall not apply, but the licensee shall observe the following conditions :—

(i) The storage shed in which the dangerous petroleum is stored shall be well ventilated and constructed of uninflammable material, provided however that the doors and windows may be of wood.

(ii) Where a storage shed forms part of or is attached to another building and when the intervening floor or partition is of an unsubstantial or inflammable character or has openings therein, the whole of such building shall be deemed to be the storage shed and no portion of such storage shed shall be used as a dwelling house or as a place where persons assemble. The storage shed shall have a separate entrance from the open air distinct from any building or dwelling in which persons assemble.

17. The storage shed shall be liable to inspection by an officer not being on lower rank than a Sub-Inspector of Police authorised by the Governor in Council in this behalf.